

計算力学の基礎

－有限要素法を中心として－

法政大学 デザイン工学部

竹内 則雄

HOSEI

1


目次

1. 有限要素事始め
2. 数学的基礎(行列の代数)
3. 数学的基礎(場とその演算)
4. マトリックス法によるトラス構造の解析
5. トラス構造の有限要素解析
6. 重み付き残差法による古典的近似解法
7. ガラーキン法による有限要素定式化

2

HOSEI


FEM創成期



1956年9月
M.J.Tuner, R.W.Clough,
H.C.Martine, and L.J.Topp,
Stiffness and deflection analysis
of complex structures,
J. Aero. Sci, 23, 9, 805-825

Boeing社
direct stiffness method
(直接剛性法)

THE FINITE-ELEMENT MATRIX METHODS (4P)



1966年出版

「マトリックス法による構造力学の解法」(培風館 1967)

INTRODUCTION TO MATRIX METHODS OF STRUCTURAL ANALYSIS

HAROLD C. MARTIN
Professor of Aeronautics and Astronautics, University of Washington, and Consultant, Aerospace Group, The Boeing Company, Seattle, Washington

McGRAW-HILL BOOK COMPANY
New York St. Louis San Francisco Toronto London Sydney

xii CONTENTS

CHAPTER 11 TRUSS ANALYSIS BY THE FORCE METHOD

11.1 Introduction 245
11.2 Simple truss—classical solution 245
11.3 Generalizing the classical-solution procedure 251
11.4 Simple truss—general form of solution 252
Problems 256

CHAPTER 12 BEAM AND FRAME ANALYSIS BY THE FORCE METHOD

12.1 Introduction 259
12.2 Redundant beam—choice of redundants 259
12.3 Specifying forces for the beam segment 260
12.4 Beam flexibility matrices 262
12.5 Example—indeterminate beam 264
12.6 Example—partial bent 271
12.7 Bent 273
12.8 The rigid frame 280
12.9 Effect of thermal gradients 282
Problems 291

CHAPTER 13 THE FINITE-ELEMENT MATRIX METHODS

13.1 Introduction 296
13.2 The basic equations 296
13.3 The mathematical problem 298
13.4 The displacement method 298
Problems 299


APPENDIX MATRICES AND DETERMINANTS

A.1. Introduction 300
A.2. Matrix definitions and notation 300
A.3. Special matrix types 301
A.4. Matrix arithmetic 302
A.5. Simultaneous algebraic equations 305
A.6. Determinants 306
A.7. Determinant of a matrix 308
A.8. The matrix inverse 309
A.9. Matrix partitioning 311
A.10. Differentiating a matrix 312
A.11. Integrating a matrix 313
A.12. Inverse of a symmetric matrix 314
A.13. Collection of matrix expressions and operations 315

Examples of matrix multiplication 315
Transposed matrix 315
Determinants 315
The matrix inverse 316
Differentiating matrices 316
Properties of symmetric matrices 316

Answers to selected problems 317
Index 327


FEM創成期



1960年
J.H.Argyris and S. Kelsey,
Energy theorems and
structural analysis,
Butterworth, London


エネルギー原理に基礎をおく
マトリックス構造理論
の一般形による公式化
応力法に重点が置かれているが
内力に代わり変位を未知量に
することも述べている

日本におけるFEM研究の夜明け



1965年
日本鋼構造協会構造解析小委員会設置
月例会を開催
初代委員長 吉識雅夫 東大教授(当時)
鷺津久一郎・山本善之・川井忠彦・宮本博・山田嘉昭

鷺津・山本・川井先生が
学内で勉強会を開催



21世紀

1990年代

1980年代

1970年代

1967

1960年代

The Finite Element Method in Structural and Continuum Mechanics

Numerical solution of problems in structural and continuum mechanics

O. C. Zienkiewicz,
Professor of Civil Engineering and Chairman of School of Engineering, University of Wales, Swansea

in collaboration with
Y. K. Cheung
Lecturer in Civil Engineering, University of Wales, Swansea

アイソパラメトリック要素は1971年出版の本から

68 THE FINITE ELEMENT METHOD

69 IMPROVED ELEMENTS IN TWO-DIMENSIONAL PROBLEMS

We have

$$\frac{\partial}{\partial \xi} = \frac{\partial x}{\partial \xi} \frac{\partial}{\partial x} + \frac{\partial y}{\partial \xi} \frac{\partial}{\partial y} \quad (5.11)$$

$$\frac{\partial}{\partial \eta} = \frac{\partial x}{\partial \eta} \frac{\partial}{\partial x} + \frac{\partial y}{\partial \eta} \frac{\partial}{\partial y}$$

or in matrix notation

$$\begin{pmatrix} \frac{\partial}{\partial \xi} \\ \frac{\partial}{\partial \eta} \end{pmatrix} = [J] \begin{pmatrix} \frac{\partial}{\partial x} \\ \frac{\partial}{\partial y} \end{pmatrix} \quad \text{and} \quad \begin{pmatrix} \frac{\partial}{\partial \xi} \\ \frac{\partial}{\partial \eta} \end{pmatrix} = [J]^{-1} \begin{pmatrix} \frac{\partial}{\partial x} \\ \frac{\partial}{\partial y} \end{pmatrix} \quad (5.12)$$

in which $[J]$ is the Jacobian matrix which by Eqs (5.9) and (5.10) becomes

$$[J] = \begin{bmatrix} \frac{\partial x}{\partial \xi} & \frac{\partial y}{\partial \xi} \\ \frac{\partial x}{\partial \eta} & \frac{\partial y}{\partial \eta} \end{bmatrix} = 4 \begin{bmatrix} -(1-\eta) & (1-\eta) & (1+\eta) & -(1+\eta) \\ -(1-\xi) & -(1+\xi) & (1+\xi) & (1-\xi) \end{bmatrix} \begin{bmatrix} x_n & y_n \\ x_m & y_m \\ x_s & y_s \\ x_a & y_a \end{bmatrix} \quad (5.13)$$

Thus, it is simple to derive the strain matrices explicitly in terms of the co-ordinates η and ξ .

Integration with respect to $dx dy$ can similarly be changed to integration with respect to $d\xi d\eta$, with a simplification of the limits of integration, which now are simply from -1 to $+1$ in both variables. It is easy to show that the replacement:

$$dx dy = \text{determinant } [J] d\xi d\eta \quad (5.14)$$

must be made in such an integration.

Again, all the tools necessary for the working out of stiffness and stress matrices are available, and it is not proposed to go into further detail. It will, however, be evident on inspection that integration of the various expressions will present difficulties which are almost insurmountable if closed form expressions are desired. This is due to the $[J]^{-1}$ matrix, in which polynomials occur in the denominator of various expressions.

It seems essential, therefore, to apply at this stage numerical integration procedures. In these the η, ξ regions are divided into suitable intervals and the $[J]$ matrix evaluated at several points. Application of Gauss's rule or other similar techniques will permit numerical evaluation of the approximate integrals.² (Vide also Appendix 5.)

Computer programmes, however, become longer now, and it is perhaps problematical whether the improved accuracy would not be better achieved by the use of a finer subdivision in the simpler formulation of triangular elements. The improvement of accuracy resulting from the use of these

1967年出版

21世紀

1990年代

1980年代

1970年代

1969

1960年代

第1回日米セミナー開催

1969年8月東京
第1回マトリックス構造解析に関する日米セミナー開催
(日本学術会議・米国国立科学財団)
アメリカ側代表: Prof. R.H.Gallagher (Cornell Univ.)
米国側参加者 約30名
日本側参加者 約100名

アポロ11号
月面着陸

1972年8月Berkeley
第2回日米セミナー
on Matrix Methods of
Structural Analysis and Design


8

現象のモデル化と離散化手法


学習目標

物理現象の数理モデル化の考え方とその離散化手法について概念を学ぶ

多重複合物理現象の理論的背景と代表的偏微分方程式



流体と熱の支配方程式



流体力学における基礎方程式(ニュートン流体)

(連続の式)	$\frac{D\rho}{Dt} + \rho \frac{\partial v_i}{\partial x_j} = 0$	$\frac{D\rho}{Dt} + \rho \nabla \cdot \mathbf{v} = 0$
(運動方程式)	$\rho \left(\frac{\partial v_i}{\partial t} + v_j \frac{\partial v_i}{\partial x_j} \right) = \frac{\partial \sigma_{ij}}{\partial x_j} + \rho f_i$	$\rho \left(\frac{\partial \mathbf{v}}{\partial t} + \mathbf{v} \cdot \nabla \mathbf{v} \right) = \nabla \cdot \boldsymbol{\sigma} + \rho \mathbf{f}$
(構成方程式)	$\sigma_{ij} = -p\delta_{ij} + \mu \left[\left(\frac{\partial v_i}{\partial x_j} + \frac{\partial v_j}{\partial x_i} \right) - \frac{2}{3} \delta_{ij} \frac{\partial v_k}{\partial x_k} \right]$	$\boldsymbol{\sigma} = -\nabla p - \mu \nabla^2 \mathbf{v} - (\lambda + \mu) \nabla (\nabla \cdot \mathbf{v})$

• Navier-Stokes方程式

$\rho \left(\frac{\partial v_i}{\partial t} + v_j \frac{\partial v_i}{\partial x_j} \right) = \rho f_i - \frac{\partial p}{\partial x_i} + \mu \left[\left(\frac{\partial v_i}{\partial x_j} + \frac{\partial v_j}{\partial x_i} \right) - \frac{2}{3} \delta_{ij} \frac{\partial v_k}{\partial x_k} \right]$	$\rho \left(\frac{\partial \mathbf{v}}{\partial t} + \mathbf{v} \cdot \nabla \mathbf{v} \right) = \nabla \cdot \boldsymbol{\sigma} + \rho \mathbf{f}$
--	--


• Euler方程式(粘性を無視した場合)

$\rho \left(\frac{\partial v_i}{\partial t} + v_j \frac{\partial v_i}{\partial x_j} \right) = \rho f_i - \frac{\partial p}{\partial x_i}$	$\rho \left(\frac{\partial \mathbf{v}}{\partial t} + \mathbf{v} \cdot \nabla \mathbf{v} \right) = -\nabla p + \rho \mathbf{f}$
--	---


• Stokes方程式(遅い流れの場合)

$\rho \frac{\partial v_i}{\partial t} = \rho f_i - \frac{\partial p}{\partial x_i} + \mu \left[\left(\frac{\partial v_i}{\partial x_j} + \frac{\partial v_j}{\partial x_i} \right) - \frac{2}{3} \delta_{ij} \frac{\partial v_k}{\partial x_k} \right]$	$\rho \frac{\partial \mathbf{v}}{\partial t} = \nabla \cdot \boldsymbol{\sigma} + \rho \mathbf{f}$
---	--

離散化手法




各種解析法の領域分割




$$\frac{du}{dx} = \lim_{h \rightarrow 0} \frac{u(x+h) - u(x)}{h} \approx \frac{u(x+h) - u(x)}{h}$$

$$\frac{d^2u}{dx^2} \approx \frac{\frac{u_{i+2} - u_{i+1}}{h} - \frac{u_{i+1} - u_i}{h}}{h} = \frac{u_{i+2} - 2u_{i+1} + u_i}{h^2}$$


FDM (Finite Difference Method)



FVM (Finite Volume Method)




BEM (Boundary Element Method)



FEM (Finite Element Method)

離散化の手順と関係



解析の手順

